



## Pineline Comp-clean 35

|                          |  |                       |                |                     |           |                          |      |                  |      |
|--------------------------|--|-----------------------|----------------|---------------------|-----------|--------------------------|------|------------------|------|
| Product no.              | 218  |                       |                |                     |           |                          |      |                  |      |
| Description              | Highly alkaline detergent concentrate for washing iron and steel parts. A pre-wash for assembly, painting and final processing in the metal and workshop industry. Also suitable in chamber washers for maintenance and vehicle servicing.             |                       |                |                     |           |                          |      |                  |      |
| Special features         | Low-foaming at temperatures over 60 °C. Removes machining residue, vaseline, burnt-on oil and grease, resin and soot. Improves follow-up treatment of cleaned components. Gives temporary protection against corrosion.                                |                       |                |                     |           |                          |      |                  |      |
| Instructions for use     | Check no detergent or dirt residue is left in the washing machine. Add detergent concentrate to 70 – 80 °C wash water. Dilution 1 – 4 %. Add the product to the washing machine on a regular basis to maintain washing power and to prevent corrosion. |                       |                |                     |           |                          |      |                  |      |
| Note!                    | Read the instructions for safe use on the label or in the Safety Data Sheet. Store sealed at +5...+30 °C.  |                       |                |                     |           |                          |      |                  |      |
| Working environment      | Ensure adequate ventilation. The product is easily biodegradable.  |                       |                |                     |           |                          |      |                  |      |
| Technical data           | <table><tr><td>Form and colour</td><td>darkish liquid</td></tr><tr><td>pH-value(20 °C)</td><td>13.8</td></tr><tr><td>pH-value (1 wt-%, 20 °C)</td><td>12.1</td></tr><tr><td>Relative density</td><td>1.15</td></tr></table>                            | Form and colour       | darkish liquid | pH-value(20 °C)     | 13.8      | pH-value (1 wt-%, 20 °C) | 12.1 | Relative density | 1.15 |
| Form and colour          | darkish liquid   |                       |                |                     |           |                          |      |                  |      |
| pH-value(20 °C)          | 13.8   |                       |                |                     |           |                          |      |                  |      |
| pH-value (1 wt-%, 20 °C) | 12.1   |                       |                |                     |           |                          |      |                  |      |
| Relative density         | 1.15   |                       |                |                     |           |                          |      |                  |      |
| Contents                 | <table><tr><td>Non-ionic surfactants</td><td>15 – 30 %.</td></tr><tr><td>Potassium hydroxide</td><td>5 – 10 %.</td></tr></table>   | Non-ionic surfactants | 15 – 30 %.     | Potassium hydroxide | 5 – 10 %. |                          |      |                  |      |
| Non-ionic surfactants    | 15 – 30 %.   |                       |                |                     |           |                          |      |                  |      |
| Potassium hydroxide      | 5 – 10 %.  |                       |                |                     |           |                          |      |                  |      |
| Package                  | 25 L, 200 L, 1000 L.   |                       |                |                     |           |                          |      |                  |      |
| Other information:       | Transportation class: UN 3266. Made in Finland.  |                       |                |                     |           |                          |      |                  |      |

12.3.2018